

THE WATER WORKS BOARD OF THE CITY OF AUBURN 2014 CONSUMER CONFIDENCE REPORT

OUR WATER RESOURCES

The Water Works Board of the City of Auburn (AWWB) is proud to present its 2014 Consumer Confidence Report (CCR). In compliance with Federal and State laws, the AWWB routinely monitors for numerous constituents in the drinking water. We are pleased to report that our drinking water is safe and meets all Federal and State requirements. The tables in this report illustrate the results of water quality monitoring for the calendar year 2014. This is the eighteenth issue of a series of water quality reports made available to you annually, as required by the United States Environmental Protection Agency (EPA). Reports are published mid-year for the previous year's monitoring results.

AWWB's main water supply comes from Lake Ogletree, which is located in southeast Auburn. Lake Ogletree (pictured above) is approximately 300 acres and is fed primarily by Chewacla Creek. The total watershed feeding the Lake encompasses approximately 33 square miles. In 2014, water from Lake Ogletree was utilized to produce approximately 59% of AWWB's drinking water. In an effort to meet increasing demands and to improve resiliency in its source waters, the AWWB constructed a groundwater well south of Interstate 85 in 2012. Prior to bringing this well online, the AWWB contracted for a Source Water Assessment of the well's source water protection area, which concluded that the well has a low susceptibility to contamination. This well contributed approximately 18% of AWWB's drinking water during 2014. In addition to these sources, the AWWB purchases drinking water from Opelika Utilities, which receives its raw water from Saugahatchee Lake and the Halawakee Creek Embayment on Lake Harding. Drinking water is purchased from Opelika Utilities primarily to supplement growing-season peak demands. Water purchased from Opelika Utilities accounted for approximately 23% of AWWB's drinking water in 2014. Monitoring of all surface source waters is conducted year-round for Cryptosporidium (Crypto), Giardia lamblia (Giardia), nutrients, and numerous other water quality parameters. Most contaminants originate from surface runoff associated with natural deposits, automobiles, industry, construction, and animals. Therefore, in addition to mandatory monitoring of its treatment and distribution system, the AWWB voluntarily performs year-round source water monitoring within the Lake Ogletree watershed. The City of Auburn also helps protect and manage the Lake Ogletree watershed by regulating development density within its jurisdiction and working with property owners to encourage good on-site methods to manage pollutant runoff. Information on AWWB's various monitoring programs and reports is available for review at the Bailey-Alexander Water and Sewer Complex, located at 1501 W. Samford Avenue. Please call (334) 501-3060 for more information.



Below: The Bailey-Alexander Water and Sewer Complex houses field operations, administration, and billing services.



Above: Chewacla Creek at the forebay of Lake Ogletree.

TABLE OF PRIMARY CONTAMINANTS

At high levels some primary contaminants are known to pose health risks to humans. The table below provides a quick glance of any primary contaminants detected in 2014.

	glance of any primary contaminants detected in 2014.						
Bacteriological		MCL	Highest Detected Level	Synthetic Organic Chemicals	MCL	Highest Detected Level	
Total	al Coliform Bacteria < 5% N		ND	2,4,5-TP (Silvex)	50 ppb	ND	
	Radiological MCL Highest De		Highest Detected Level	2,4-D	70 ppb	ND	
	Gross Alpha 15 pCi/L		ND	Alachlor (Lasso)	2 ppb	ND	
Radium 228		5 pCi/L	1.1	Atrazine	3 ppb	ND	
Turbidity		MCL	Highest Detected Level	Benzo(A)Pyrene	200 ppt	ND	
Turbidity		TT (NTU)	0.27	Carbofuran	40 ppb	ND	
Inorganic Chemicals		MCL	Highest Detected Level	Chlordane	2 ppb	ND	
Antimony		6 ppb	ND	Dalapon	200 ppb	ND	
Arsenic		10 ppb	ND	DBCP (1,2Dibromo-3-Chloropropane)	200 ppt	ND	
	Barium	2 ppm	0.03	Di(2-Ethylhexl)Adipate	400 ppb	ND	
Beryllium		4 ppb	ND	Di(2-Ethylhexl)Phthalate	6 ppb	0.64	
Cadmium		5 ppb	ND	Dinoseb	7 ppb	ND	
Chlorine		4 ppm MRDL	1.62****	Diquat	20 ppb	ND	
Chromium		100 ppb	ND	Endothall	100 ppb	ND	
Copper		AL = 1.3 ppm	0.096***	Endrin	2 ppb	ND	
Cyanide		200 ppb	ND	Glyphosate	700 ppb	ND	
Fluoride		4 ppm	0.96	Heptachlor	400 ppt	ND	
Lead		AL = 15 ppb	ND***	Heptachlor Epoxide	200 ppt	ND	
Mercury		2 ppb	ND	Hexachlorobenzene (HCB)	1 ppb	ND	
	Nitrate	10 ppm	0.63	Hexachlorocyclopentadiene	50 ppb	ND	
	Nitrite	1 ppm	ND	Lindane	200 ppt	ND	
-	Selenium	50 ppb	ND NB	Methoxychlor	40 ppb	ND	
5: : (Thallium	2 ppb	ND	Oxamyl (Vydate)	200 ppb	ND	
	ection By-products	MCL	Highest Detected Level	PCB (Polychlorinated Biphenyls)	500 ppt	ND ND	
	Trihalomethanes cetic acids (HAA5)	80 ppb	80.7** (MCL Violation) 46.8**	Pentachlorphenol Picloram	1 ppb	ND ND	
	· , ,	60 ppb			500 ppb	ND	
Organic Chemicals			Highort Dotoctod Lovel	Simazina	1 nnh	ND	
1013		MCL TT (nom)	Highest Detected Level	Simazine	4 ppb	ND ND	
Tota	l Organic Carbon	TT (ppm)	Highest Detected Level 1.94****	Toxaphene	3 ppb	ND	
AL:	Il Organic Carbon	TT (ppm)	1.94****	Toxaphene Volatile Organic Chemicals	3 ppb	ND Highest Detected Level	
AL:	Action Level - The cor	TT (ppm) Legend for Tables neentration of a contamin water system shall follow	1.94**** ant that triggers treatment	Toxaphene	3 ppb	ND	
	Action Level - The cor or other requirement a Maximum Contaminar	TT (ppm) Legend for Tables ncentration of a contamin	1.94**** ant that triggers treatment . a contaminant in	Toxaphene Volatile Organic Chemicals	3 ppb	ND Highest Detected Level	
AL: MCLG:	Action Level - The cor or other requirement a Maximum Contaminar drinking water below w MCLGs allow for a man	TT (ppm) Legend for Tables neentration of a contamin water system shall follow nt Level Goal - The level of which there is no known or gin of safety.	1.94**** ant that triggers treatment . a contaminant in expected risk to health.	Toxaphene Volatile Organic Chemicals 1,1,1-trichloroethane	3 ppb MCL 200 ppb	ND Highest Detected Level ND	
AL:	Action Level - The cor or other requirement a Maximum Contaminar drinking water below w MCLGs allow for a man Maximum Contaminar	TT (ppm) Legend for Tables neentration of a contamin water system shall follow nt Level Goal - The level of which there is no known or	1.94**** ant that triggers treatment . a contaminant in expected risk to health. of a contaminant that is	Toxaphene Volatile Organic Chemicals 1,1,1-trichloroethane 1,1,2-trichloroethane	3 ppb MCL 200 ppb 5 ppb	ND Highest Detected Level ND ND	
AL: MCLG: MCL:	Action Level - The cor or other requirement a Maximum Contaminar drinking water below w MCLGs allow for a man Maximum Contaminar allowed in drinking wat using the best available	TT (ppm) Legend for Tables Incentration of a contaminal water system shall follow in Level Goal - The level of which there is no known or gin of safety. Int Level - The highest level ter. MCLs are set as close the treatment technology.	1.94**** ant that triggers treatment . a contaminant in expected risk to health. of a contaminant that is o the MCLGs as feasible	Toxaphene Volatile Organic Chemicals 1,1,1-trichloroethane 1,1,2-trichloroethane 1,2-dichloroethane	3 ppb MCL 200 ppb 5 ppb 5 ppb	ND Highest Detected Level ND ND ND ND	
AL: MCLG:	Action Level - The cor or other requirement a Maximum Contaminar drinking water below w MCLGs allow for a man Maximum Contaminar allowed in drinking wat using the best available Maximum Residual Dis	TT (ppm) Legend for Tables Incentration of a contamin water system shall follow in Level Goal - The level of which there is no known or gin of safety. Int Level - The highest level ter. MCLs are set as close to	1.94**** ant that triggers treatment . a contaminant in expected risk to health. of a contaminant that is o the MCLGs as feasible	Toxaphene Volatile Organic Chemicals 1,1,1-trichloroethane 1,1,2-trichloroethane 1,2-dichloroethane 1,1-dichloroethylene	3 ppb MCL 200 ppb 5 ppb 7 ppb 70 ppb	ND Highest Detected Level ND ND ND ND ND ND	
AL: MCLG: MCL:	Action Level - The cor or other requirement a Maximum Contaminar drinking water below w MCLGs allow for a man Maximum Contaminar allowed in drinking wat using the best available Maximum Residual Dis disinfectant below whi MRDLGs do not reflect	TT (ppm) Legend for Tables Incentration of a contaminal water system shall follow in Level Goal - The level of which there is no known or gin of safety. In Level - The highest level ter. MCLs are set as close the treatment technology. Sinfectant Level Goal - The child there is no known or exit the benefits of the use of	1.94**** ant that triggers treatment . a contaminant in expected risk to health. of a contaminant that is o the MCLGs as feasible elevel of a drinking water pected risk to health.	Toxaphene Volatile Organic Chemicals 1,1,1-trichloroethane 1,2-dichloroethane 1,1-dichloroethylene 1,2,4-trichlorobenzene	3 ppb MCL 200 ppb 5 ppb 7 ppb 70 ppb 5 ppb	ND Highest Detected Level ND	
AL: MCLG: MCL:	Action Level - The cor or other requirement a Maximum Contaminar drinking water below w MCLGs allow for a man Maximum Contaminar allowed in drinking wat using the best available Maximum Residual Dis disinfectant below whi MRDLGs do not reflect microbial contaminants	TT (ppm) Legend for Tables Incentration of a contaminal water system shall follow in Level Goal - The level of which there is no known or gin of safety. In Level - The highest level ter. MCLs are set as close the treatment technology. Sinfectant Level Goal - The child there is no known or exit the benefits of the use of	1.94**** ant that triggers treatment . a contaminant in expected risk to health. of a contaminant that is o the MCLGs as feasible elevel of a drinking water pected risk to health. disinfectants to control	Toxaphene Volatile Organic Chemicals 1,1,1-trichloroethane 1,1,2-trichloroethane 1,2-dichloroethane 1,1-dichloroethylene 1,2,4-trichlorobenzene 1,2-dichloropropane	3 ppb MCL 200 ppb 5 ppb 7 ppb 70 ppb 5 ppb 600 ppb	ND Highest Detected Level ND ND ND ND ND ND ND ND ND N	
AL: MCLG: MCL: MRDLG:	Action Level - The cor or other requirement a Maximum Contaminar drinking water below w MCLGs allow for a man Maximum Contaminar allowed in drinking wat using the best available Maximum Residual Dis disinfectant below whi MRDLGs do not reflect microbial contaminant: Maximum Residual Dis allowed in drinking wat	TT (ppm) Legend for Tables Incentration of a contamin water system shall follow in Level Goal - The level of which there is no known or gin of safety. In Level - The highest level ter. MCLs are set as close the treatment technology. Sinfectant Level Goal - The ch there is no known or exithe benefits of the use of s. Sinfectant Level - The high ter. There is convincing evi	1.94**** ant that triggers treatment . a contaminant in expected risk to health. of a contaminant that is o the MCLGs as feasible elevel of a drinking water pected risk to health. disinfectants to control est level of a disinfectant dencethat addition of a	Toxaphene Volatile Organic Chemicals 1,1,1-trichloroethane 1,2-dichloroethane 1,1-dichloroethylene 1,2,4-trichlorobenzene 1,2-dichlorobenzene P-Dichlorobenzene	3 ppb MCL 200 ppb 5 ppb 7 ppb 70 ppb 5 ppb 600 ppb 75 ppb	ND Highest Detected Level ND	
AL: MCLG: MCL: MRDLG:	Action Level - The cor or other requirement a Maximum Contaminar drinking water below w MCLGs allow for a man Maximum Contaminar allowed in drinking wat using the best available Maximum Residual Dis disinfectant below whi MRDLGs do not reflect microbial contaminant: Maximum Residual Dis allowed in drinking wat disinfectant is necessar	TT (ppm) Legend for Tables Incentration of a contamin water system shall follow in Level Goal - The level of which there is no known or gin of safety. In Level - The highest level ter. MCLs are set as close the treatment technology. In the benefits of the use of state of the there is no known or exist the benefits of the use of state. In the benefits of the use of state.	1.94**** ant that triggers treatment a contaminant in expected risk to health. of a contaminant that is o the MCLGs as feasible elevel of a drinking water pected risk to health. disinfectants to control est level of a disinfectant dencethat addition of a contaminants.	Toxaphene Volatile Organic Chemicals 1,1,1-trichloroethane 1,2-dichloroethane 1,1-dichloroethylene 1,2,4-trichlorobenzene 1,2-dichloropropane O-Dichlorobenzene P-Dichlorobenzene Benzene	3 ppb MCL 200 ppb 5 ppb 7 ppb 70 ppb 5 ppb 600 ppb 75 ppb 5 ppb	ND Highest Detected Level ND	
AL: MCLG: MCL: MRDLG:	Action Level - The cor or other requirement a Maximum Contaminar drinking water below w MCLGs allow for a mar Maximum Contaminar allowed in drinking wat using the best available Maximum Residual Dis disinfectant below whi MRDLGs do not reflect microbial contaminant: Maximum Residual Dis allowed in drinking wat disinfectant is necessar Treatment Technique level of a contaminant	TT (ppm) Legend for Tables Incentration of a contaminal water system shall follow the Level Goal - The level of which there is no known or gin of safety. In Level - The highest level ter. MCLs are set as close the treatment technology. In the benefits of the use of the there is no known or exit the benefits of the use of the there. In the control of microbial of the control of t	1.94**** ant that triggers treatment a contaminant in expected risk to health. of a contaminant that is o the MCLGs as feasible elevel of a drinking water pected risk to health. disinfectants to control est level of a disinfectant dencethat addition of a contaminants.	Toxaphene Volatile Organic Chemicals 1,1,1-trichloroethane 1,2-dichloroethane 1,1-dichloroethylene 1,2,4-trichlorobenzene 1,2-dichloropropane O-Dichlorobenzene P-Dichlorobenzene Benzene Carbon Tetrachloride	3 ppb MCL 200 ppb 5 ppb 7 ppb 70 ppb 5 ppb 600 ppb 75 ppb 5 ppb 5 ppb	ND Highest Detected Level ND	
AL: MCLG: MCL: MRDLG: MRDLC: TT: ND:	Action Level - The cor or other requirement a Maximum Contaminar drinking water below w MCLGs allow for a mar Maximum Contaminar allowed in drinking wat using the best available Maximum Residual Dis disinfectant below whi MRDLGs do not reflect microbial contaminant: Maximum Residual Dis allowed in drinking wat disinfectant is necessar Treatment Technique level of a contaminant Not detected	TT (ppm) Legend for Tables Incentration of a contaminal water system shall follow the Level Goal - The level of which there is no known or gin of safety. In Level - The highest level ter. MCLs are set as close the treatment technology. In the benefits of the use of the there is no known or exit the benefits of the use of the there. In the control of microbial of the control of t	1.94**** ant that triggers treatment a contaminant in expected risk to health. of a contaminant that is o the MCLGs as feasible elevel of a drinking water pected risk to health. disinfectants to control est level of a disinfectant dencethat addition of a contaminants.	Toxaphene Volatile Organic Chemicals 1,1,1-trichloroethane 1,2-dichloroethane 1,1-dichloroethylene 1,2,4-trichlorobenzene 1,2-dichloropropane O-Dichlorobenzene P-Dichlorobenzene Benzene Carbon Tetrachloride Chlorobenzene	3 ppb MCL 200 ppb 5 ppb 7 ppb 70 ppb 5 ppb 600 ppb 75 ppb 5 ppb 5 ppb 100 ppb	ND Highest Detected Level ND	
AL: MCLG: MCL: MRDLG: MRDLC:	Action Level - The cor or other requirement a Maximum Contaminar drinking water below w MCLGs allow for a mar Maximum Contaminar allowed in drinking wat using the best available Maximum Residual Dis disinfectant below whi MRDLGs do not reflect microbial contaminant: Maximum Residual Dis allowed in drinking wat disinfectant is necessar Treatment Technique level of a contaminant	TT (ppm) Legend for Tables Incentration of a contaminal water system shall follow in Level Goal - The level of which there is no known or gin of safety. In Level - The highest level ter. MCLs are set as close the treatment technology. Sinfectant Level Goal - The chapter is no known or extended the there is no	1.94**** ant that triggers treatment a contaminant in expected risk to health. of a contaminant that is o the MCLGs as feasible elevel of a drinking water pected risk to health. disinfectants to control est level of a disinfectant dencethat addition of a contaminants.	Toxaphene Volatile Organic Chemicals 1,1,1-trichloroethane 1,2-dichloroethane 1,1-dichloroethylene 1,2-d-trichlorobenzene 1,2-dichloropropane O-Dichlorobenzene P-Dichlorobenzene Benzene Carbon Tetrachloride Chlorobenzene Cis-1,2-dichloroethene	3 ppb MCL 200 ppb 5 ppb 7 ppb 70 ppb 5 ppb 600 ppb 75 ppb 5 ppb 5 ppb 100 ppb 70 ppb	ND Highest Detected Level ND	
AL: MCLG: MCL: MRDLG: TT: ND: N/A: NTU: pCi/L:	Action Level - The cor or other requirement a Maximum Contaminar drinking water below w MCLGs allow for a mary Maximum Contaminar allowed in drinking wat using the best available Maximum Residual Dis disinfectant below whit MRDLGs do not reflect microbial contaminant Maximum Residual Dis allowed in drinking wat disinfectant is necessar Treatment Technique level of a contaminant Not detected Not applicable Nephelometric Turbidit picocuries per liter	TT (ppm) Legend for Tables Incentration of a contaminal water system shall follow in Level Goal - The level of which there is no known or gin of safety. In Level - The highest level ter. MCLs are set as close the treatment technology. Sinfectant Level Goal - The chapter is no known or extended the there is no	1.94**** ant that triggers treatment a contaminant in expected risk to health. of a contaminant that is o the MCLGs as feasible elevel of a drinking water pected risk to health. disinfectants to control est level of a disinfectant dencethat addition of a contaminants.	Toxaphene Volatile Organic Chemicals 1,1,1-trichloroethane 1,2-dichloroethane 1,1-dichloroethylene 1,2,4-trichlorobenzene 1,2-dichloropropane O-Dichlorobenzene P-Dichlorobenzene Benzene Carbon Tetrachloride Chlorobenzene Cis-1,2-dichloroethene Ethylbenzene	3 ppb MCL 200 ppb 5 ppb 7 ppb 70 ppb 5 ppb 600 ppb 75 ppb 5 ppb 5 ppb 5 ppb 70 ppb 70 ppb 70 ppb 70 ppb 70 ppb	ND Highest Detected Level ND	
AL: MCLG: MCL: MRDLG: TT: ND: N/A: NTU: pCi/L: ppt:	Action Level - The cor or other requirement a Maximum Contaminar drinking water below w MCLGs allow for a mary Maximum Contaminar allowed in drinking wat using the best available Maximum Residual Dis disinfectant below which MRDLGs do not reflect microbial contaminant Maximum Residual Dis allowed in drinking wat disinfectant is necessar Treatment Technique level of a contaminant Not detected Not applicable Nephelometric Turbidit picocuries per liter parts per trillion	TT (ppm) Legend for Tables Incentration of a contaminal water system shall follow in Level Goal - The level of which there is no known or gin of safety. In Level - The highest level ter. MCLs are set as close the treatment technology. Sinfectant Level Goal - The chapter is no known or extended the there is no	1.94**** ant that triggers treatment a contaminant in expected risk to health. of a contaminant that is o the MCLGs as feasible elevel of a drinking water pected risk to health. disinfectants to control est level of a disinfectant dencethat addition of a contaminants.	Toxaphene Volatile Organic Chemicals 1,1,1-trichloroethane 1,2-dichloroethane 1,1-dichloroethylene 1,2,4-trichlorobenzene 1,2-dichloropropane O-Dichlorobenzene P-Dichlorobenzene Benzene Carbon Tetrachloride Chlorobenzene Ethylbenzene Styrene	3 ppb MCL 200 ppb 5 ppb 7 ppb 70 ppb 5 ppb 600 ppb 75 ppb 5 ppb 5 ppb 100 ppb 70 ppb 100 ppb 100 ppb	ND Highest Detected Level ND	
AL: MCLG: MCL: MRDLG: MRDLC: TT: ND: N/A: NTU: pCi/L: ppt: ppb: ppm:	Action Level - The cor or other requirement a Maximum Contaminar drinking water below w MCLGs allow for a mark Maximum Contaminar allowed in drinking wat using the best available Maximum Residual Dis disinfectant below whin MRDLGs do not reflect microbial contaminants Maximum Residual Dis allowed in drinking wat disinfectant is necessar Treatment Technique level of a contaminant Not detected Not applicable Nephelometric Turbidit picocuries per liter parts per trillion parts per billion	TT (ppm) Legend for Tables Incentration of a contaminal water system shall follow in Level Goal - The level of which there is no known or gin of safety. In Level - The highest level ter. MCLs are set as close the treatment technology. Sinfectant Level Goal - The charm there is no known or exist the benefits of the use of set. Sinfectant Level - The high ter. There is convincing evice for control of microbial of the charm the process intending the process in the charm of the process in the process	1.94**** ant that triggers treatment a contaminant in expected risk to health. of a contaminant that is o the MCLGs as feasible elevel of a drinking water pected risk to health. disinfectants to control est level of a disinfectant dencethat addition of a contaminants.	Toxaphene Volatile Organic Chemicals 1,1,1-trichloroethane 1,2-dichloroethane 1,1-dichloroethylene 1,2-d-trichlorobenzene 1,2-dichloropropane O-Dichlorobenzene P-Dichlorobenzene Benzene Carbon Tetrachloride Chlorobenzene Cis-1,2-dichloroethene Ethylbenzene Styrene Tetrachloroethylene	3 ppb MCL 200 ppb 5 ppb 7 ppb 70 ppb 5 ppb 600 ppb 75 ppb 5 ppb 5 ppb 70 ppb 70 ppb 5 ppb 5 ppb 5 ppb 5 ppb 5 ppb 100 ppb 70 ppb 70 ppb 70 ppb 70 ppb	ND Highest Detected Level ND	
AL: MCLG: MCL: MRDLG: TT: ND: N/A: NTU: pCi/L: ppt: ppb:	Action Level - The cor or other requirement a Maximum Contaminar drinking water below w MCLGs allow for a mark Maximum Contaminar allowed in drinking wat using the best available Maximum Residual Dis disinfectant below whin MRDLGs do not reflect microbial contaminant Maximum Residual Dis allowed in drinking wat disinfectant is necessar Treatment Technique level of a contaminant Not detected Not applicable Nephelometric Turbidit picocuries per liter parts per trillion parts per billion parts per million microsiemens per cent	TT (ppm) Legend for Tables Incentration of a contaminal water system shall follow in Level Goal - The level of which there is no known or gin of safety. In Level - The highest level ter. MCLs are set as close the treatment technology. Sinfectant Level Goal - The charm there is no known or exist the benefits of the use of set. Sinfectant Level - The high ter. There is convincing evice for control of microbial of the charm the process intending the process in the charm of the process in the process	1.94**** ant that triggers treatment a contaminant in expected risk to health. of a contaminant that is o the MCLGs as feasible elevel of a drinking water pected risk to health. disinfectants to control est level of a disinfectant dencethat addition of a contaminants.	Toxaphene Volatile Organic Chemicals 1,1,1-trichloroethane 1,2-dichloroethane 1,2-dichloroethylene 1,2,4-trichlorobenzene 1,2-dichloropropane O-Dichlorobenzene P-Dichlorobenzene Benzene Carbon Tetrachloride Chlorobenzene Cis-1,2-dichloroethene Ethylbenzene Styrene Tetrachloroethylene Toluene	3 ppb MCL 200 ppb 5 ppb 7 ppb 70 ppb 5 ppb 600 ppb 75 ppb 5 ppb 5 ppb 100 ppb 70 ppb 70 ppb 100 ppb 100 ppb 100 ppb 1 ppm	ND Highest Detected Level ND	
AL: MCLG: MCL: MRDLG: MRDLC: TT: ND: N/A: NTU: pCi/L: ppt: ppb: ppm: µS/cm: * **	Action Level - The cor or other requirement a Maximum Contaminar drinking water below w MCLGs allow for a mark Maximum Contaminar allowed in drinking wat using the best available Maximum Residual Dis disinfectant below whi MRDLGs do not reflect microbial contaminant Maximum Residual Dis allowed in drinking wat disinfectant is necessar Treatment Technique level of a contaminant Not detected Not applicable Nephelometric Turbidit picocuries per liter parts per trillion parts per billion parts per million microsiemens per cent Annual average	TT (ppm) Legend for Tables Incentration of a contaminal water system shall follow in Level Goal - The level of which there is no known or gin of safety. In Level - The highest level ter. MCLs are set as close the treatment technology. Sinfectant Level Goal - The charm there is no known or exist the benefits of the use of set. Sinfectant Level - The high ter. There is convincing evice for control of microbial of the charm the process intending the process in the charm of the process in the process	1.94**** ant that triggers treatment a contaminant in expected risk to health. of a contaminant that is o the MCLGs as feasible elevel of a drinking water pected risk to health. disinfectants to control est level of a disinfectant dencethat addition of a contaminants. ded to reduce the	Toxaphene Volatile Organic Chemicals 1,1,1-trichloroethane 1,2-dichloroethane 1,1-dichloroethylene 1,2,4-trichlorobenzene 1,2-dichloropropane O-Dichlorobenzene P-Dichlorobenzene Benzene Carbon Tetrachloride Chlorobenzene Cis-1,2-dichloroethene Ethylbenzene Styrene Tetrachloroethylene Toluene Trans-1,2 Dichloroethylene	3 ppb MCL 200 ppb 5 ppb 7 ppb 70 ppb 5 ppb 600 ppb 75 ppb 5 ppb 5 ppb 100 ppb 70 ppb 100 ppb 100 ppb 100 ppb 100 ppb 100 ppb	ND Highest Detected Level ND	
AL: MCLG: MCL: MRDLG: MRDLC: TT: ND: N/A: NTU: pCi/L: ppt: ppb: ppm: µS/cm: ** **	Action Level - The cor or other requirement a Maximum Contaminar drinking water below w MCLGs allow for a mark Maximum Contaminar allowed in drinking wat using the best available Maximum Residual Dis disinfectant below whi MRDLGs do not reflect microbial contaminant: Maximum Residual Dis allowed in drinking wat disinfectant is necessar Treatment Technique level of a contaminant Not detected Not applicable Nephelometric Turbidit picocuries per liter parts per trillion parts per billion parts per million microsiemens per cent Annual average Local running annual as 90th percentile of sam	TT (ppm) Legend for Tables Incentration of a contaminal water system shall follow in Level Goal - The level of which there is no known or gin of safety. In Level - The highest level ter. MCLs are set as close the treatment technology. Sinfectant Level Goal - The chart there is no known or exit the benefits of the use of some sinfectant Level - The high ter. There is convincing eving for control of microbial of the chart the chart the process intending the chart that is a required process intending the chart that the chart	ant that triggers treatment. a contaminant in expected risk to health. of a contaminant that is on the MCLGs as feasible elevel of a drinking water pected risk to health. disinfectants to control est level of a disinfectant dencethat addition of a contaminants. ded to reduce the	Toxaphene Volatile Organic Chemicals 1,1,1-trichloroethane 1,2-dichloroethane 1,2-dichloroethylene 1,2,4-trichlorobenzene 1,2-dichloropropane O-Dichlorobenzene P-Dichlorobenzene Benzene Carbon Tetrachloride Chlorobenzene Cis-1,2-dichloroethene Ethylbenzene Styrene Tetrachloroethylene Toluene	3 ppb MCL 200 ppb 5 ppb 7 ppb 70 ppb 5 ppb 600 ppb 75 ppb 5 ppb 5 ppb 100 ppb 70 ppb 70 ppb 100 ppb 100 ppb 100 ppb 1 ppm	ND Highest Detected Level ND	
AL: MCLG: MCL: MRDLG: MRDLC: TT: ND: N/A: NTU: pCi/L: ppt: ppm: µS/cm: ** *** ***	Action Level - The cor or other requirement a Maximum Contaminar drinking water below w MCLGs allow for a mary allowed in drinking wat using the best available Maximum Residual Dis disinfectant below whi MRDLGs do not reflect microbial contaminant: Maximum Residual Dis allowed in drinking wat disinfectant is necessar Treatment Technique level of a contaminant Not detected Not applicable Nephelometric Turbidit picocuries per liter parts per trillion parts per billion parts per million microsiemens per cent Annual average Local running annual a 90th percentile of sam Compliance is based or monthly samples	TT (ppm) Legend for Tables neentration of a contamin water system shall follow nt Level Goal - The level of which there is no known or gin of safety. It Level - The highest level ter. MCLs are set as close t et reatment technology. Sinfectant Level Goal - The ich there is no known or ex the benefits of the use of s. Sinfectant Level - The high ter. There is convincing evi try for control of microbial of - A required process intend in drinking water. Ty Unit werage of quarterly sample ples collected in a running annual average	1.94**** ant that triggers treatment a contaminant in expected risk to health. of a contaminant that is o the MCLGs as feasible elevel of a drinking water pected risk to health. disinfectants to control est level of a disinfectant dencethat addition of a contaminants. ded to reduce the	Toxaphene Volatile Organic Chemicals 1,1,1-trichloroethane 1,2-dichloroethane 1,1-dichloroethylene 1,2,4-trichlorobenzene 1,2-dichloropropane O-Dichlorobenzene P-Dichlorobenzene Benzene Carbon Tetrachloride Chlorobenzene Cis-1,2-dichloroethene Ethylbenzene Styrene Tetrachloroethylene Toluene Trans-1,2 Dichloroethylene	3 ppb MCL 200 ppb 5 ppb 7 ppb 70 ppb 5 ppb 600 ppb 75 ppb 5 ppb 5 ppb 100 ppb 70 ppb 100 ppb 100 ppb 100 ppb 100 ppb 100 ppb	ND Highest Detected Level ND	
AL: MCLG: MCL: MRDLG: MRDL: TT: ND: N/A: NTU: pCi/L: ppt: ppb: ppm: µS/cm: ** **	Action Level - The cor or other requirement a Maximum Contaminar drinking water below w MCLGs allow for a marq allowed in drinking wat using the best available Maximum Residual Dis disinfectant below whi MRDLGs do not reflect microbial contaminant: Maximum Residual Dis allowed in drinking wat disinfectant is necessar Treatment Technique level of a contaminant Not detected Not applicable Nephelometric Turbidit picocuries per liter parts per trillion parts per billion parts per billion microsiemens per cent Annual average Local running annual as 90th percentile of sam Compliance is based or	TT (ppm) Legend for Tables neentration of a contamin water system shall follow nt Level Goal - The level of which there is no known or gin of safety. It Level - The highest level ter. MCLs are set as close t et reatment technology. Sinfectant Level Goal - The ich there is no known or ex the benefits of the use of s. Sinfectant Level - The high ter. There is convincing evi try for control of microbial of - A required process intend in drinking water. Ty Unit werage of quarterly sample ples collected in a running annual average	ant that triggers treatment. a contaminant in expected risk to health. of a contaminant that is on the MCLGs as feasible elevel of a drinking water pected risk to health. disinfectants to control est level of a disinfectant dencethat addition of a contaminants. ded to reduce the	Toxaphene Volatile Organic Chemicals 1,1,1-trichloroethane 1,2-dichloroethane 1,2-dichloroethylene 1,2,4-trichlorobenzene 1,2-dichloropropane O-Dichlorobenzene P-Dichlorobenzene Benzene Carbon Tetrachloride Chlorobenzene Cis-1,2-dichloroethene Ethylbenzene Styrene Tetrachloroethylene Toluene Trans-1,2 Dichloroethylene Vinyl chloride	3 ppb MCL 200 ppb 5 ppb 7 ppb 70 ppb 5 ppb 600 ppb 75 ppb 5 ppb 5 ppb 100 ppb 70 ppb 100 ppb 1 ppm 100 ppb 2 ppb	ND Highest Detected Level ND	

- Dioxin and Asbestos Monitoring Statement: Based on a study conducted by ADEM with the approval of the EPA, a statewide waiver for the monitoring of asbestos and dioxin was issued. Thus, monitoring for any of these contaminants was not required.
- Copper and Lead results are from the most recent testing done in 2013 in accordance with applicable regulations.

TABLE OF DETECTED CONTAMINANTS

PRIMARY STANDARDS - Mandatory standards set by the Safe Drinking Water Act used to protect public health. These apply to all public water systems.

Radiological	Units	MCL	MCLG	Highest Detected Level	Range of Detected Levels	Test Date	Likely Sources
Radium 228	pCi/L	5	0	1.1	ND - 1.1	3/4/2014	Erosion of natural deposits
Turbidity	Units	MCL	MCLG	Highest Detected Level	Range of Detected Levels	Test Date	Likely Sources
Turbidity	NTU	TT	N/A	0.27	0.00 - 0.27	Daily	Soil runoff
Inorganic Chemicals	Units	MCL	MCLG	Highest Detected Level	Range of Detected Levels	Test Date	Likely Sources
Barium	ppm	2	2	0.03	Single Sample	5/6/2014	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits
Chlorine	ppm	MRDL = 4	MRDLG = 4	1.62****	1.2 - 1.9	Daily	Water additive used to control microbes
Copper	ppm	AL = 1.3	1.3	0.096***	Zero sites above action level	JulAug. 2013	Corrosion of household plumbing systems; Erosion of natural deposits
Fluoride	ppm	4	4	0.96	0.10 - 0.96	Daily	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories
Nitrate	ppm	10	10	0.63	0.09 - 0.63	3/4/2014	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
Disinfection By-products	Units	MCL	MCLG	Highest Detected Level	Range of Detected Levels	Test Date	Likely Sources
Total Trihalomethanes (TTHMs)	ppb	80	N/A	80.7** (MCL Violation)	4.5 - 80.7	Quarterly	By-product of drinking water disinfection
Haloacetic acids (HAA5)	ppb	60	N/A	46.8**	2.5 - 46.8	Quarterly	By-product of drinking water disinfection
Synthetic Organic Chemicals	Units	MCL	MCLG	Highest Detected Level	Range of Detected Levels	Test Date	Likely Sources
Di(2-Ethylhexl)Phthalate	ppb	6	0	0.64	ND - 0.64	3/11/2014	Discharge from rubber and chemical factories

NOTICE OF MCL VIOLATION

Federal regulations set certain limits, known as the maximum contaminant levels (MCL) on contaminants that can be found in the potable water supply. Our water system exceeded the limit set for a certain contaminant known as total trihalomethanes (TTHMs). As our customer, you have a right to know this limit was exceeded, and a public notice was sent to customers in March 2014. The AWWB routinely monitors for the presence of drinking water contaminants throughout its distribution system. Testing results received in early March 2014 for samples that were collected in February 2014 resulted in our system exceeding the MCL standard for total trihalomethanes at our test site located at 2579 Bent Creek Road. The MCL standard for total trihalomethanes is 0.080 mg/L. The regulation states that if a water system's four quarter average exceeds 0.080 mg/L at any monitoring location, it is considered above the federal drinking water standards. The four quarter average for total trihalomethanes at this location was 0.0807 mg/L. This does not pose an immediate risk, and the four quarter average is now below the MCL. However, studies have indicated that some people who drink water containing trihalomethanes in excess of the MCL over many years may experience problems with their liver, kidneys, or central nervous system, and may have an increased risk of getting cancer. If you have specific health concerns, you should consult with your physician. The AWWB is committed to providing the highest quality water possible and we want to assure our customers that we are continually monitoring and operating our system in a manner to provide safe, reliable drinking water. Please be assured that we will continue to manage and make improvements to the water system in an effort to control contaminants and improve water quality within the distribution system.

IMPORTANT HEALTH INFORMATION FROM EPA

All drinking water, including bottled water, may be reasonably expected to contain at least small amounts of contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the United States Environmental Protection Agency (EPA) Safe Drinking Water Hotline at 1-800-426-4791.

Sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of land or through the ground, it dissolves naturally occurring minerals and radioactive material, and can pick up substances resulting from the presence of animals or human activity.

Some people may be more vulnerable to contaminants in drinking water than the general population. Individuals with compromised immune systems such as cancer patients undergoing chemotherapy, organ transplant recipients, individuals who have AIDS or who are HIV-positive, individuals with immune system disorders, elderly persons and infants can be particularly at risk from infections. People at risk should seek advice about drinking water from their health care providers. EPA and the Centers for Disease Control (CDC) guidelines for the appropriate means to lessen the risk of infection by Cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline at 1-800-426-4791.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The AWWB is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

TABLE OF DETECTED CONTAMINANTS

SECONDARY STANDARDS - Non-mandatory standards established as guidelines to assure good aesthetic qualities such as taste, color, and odor.

Inorganic Chemicals	Units	MCL	MCLG	Highest Detected Level	Range of Detected Levels	Test Date	Likely Sources
Chloride	ppm	250	N/A	2.5	Single Sample	5/6/2014	By-product of drinking water disinfection
Color	units	15	N/A	6	0 - 6	Daily	Erosion of natural deposits
Manganese	ppb	50	N/A	20	ND - 20	Daily	Erosion of natural deposits; Runoff from landfills
Sulphate	ppm	250	N/A	16.1	Single Sample	5/6/2014	Erosion of natural deposits
Total Dissolved Solids (TDS)	ppm	500	N/A	79	Single Sample	5/6/2014	Erosion of natural deposits
Zinc	ppm	5	N/A	0.15	Single Sample	5/6/2014	Corrosion inhibitor
рН	standard units	6.5-8.5	N/A	7.36*	6.8 - 7.9	Daily	Natural deposits
Unregulated Inorganic Chemicals	Units	MCL	MCLG	Highest Detected Level	Range of Detected Levels	Test Date	Likely Sources
Calcium	ppm	N/A	N/A	11.7 ppm	Single Sample	5/6/2014	Natural deposits; treatment at water
Specific Conductance	μS/cm	N/A	N/A	125	Single Sample	5/6/2014	Natural deposits
Carbon Dioxide	ppm	N/A	N/A	9.41 ppm*	0 - 24	Daily	Natural deposits
Magnesium	ppm	N/A	N/A	3.05 ppm	Single Sample	5/6/2014	Natural deposits
Sodium	ppm	N/A	N/A	4.98 ppm	Single Sample	5/6/2014	Natural deposits
Alkalinity	ppm	N/A	N/A	50 ppm*	29 - 69	Daily	Natural deposits
Total Hardness	ppm	N/A	N/A	40 ppm	Single Sample	5/6/2014	Natural deposits
Unregulated Organic Chemicals	Units	MCL	MCLG	Highest Detected Level	Range of Detected Levels	Test Date	Likely Sources
Total Organic Carbon	ppm	TT	N/A	1.94****	1.48 - 1.94	Monthly	Naturally present in the environment
Unregulated Contami- nant Monitoring Rule-3	Units	MCL	MCLG	Highest Detected Level	Range of Detected Levels	Test Date	Likely Sources
Chlorate	ppb	N/A	N/A	100 ppb	Single Sample	1/7/2014	Agricultural defoliant or desiccant; By- product of drinking water disinfection
Hexavalent Chromium	ppb	N/A	N/A	0.075 ppb	Single Sample	1/7/2014	Naturally-occurring element; used in making steel and other alloys
Strontium	ppb	N/A	N/A	21 ppb	Single Sample	1/7/2014	Naturally-occurring element
Vanadium	ppb	N/A	N/A	0.26 ppb	Single Sample	1/7/2014	Naturally-occurring elemental metal

AWWB NEWS AND PUBLIC INFORMATION

The AWWB continuously strives to provide the highest quality water services for the City's ever-increasing population of 58,582 (2013 U.S. Census Estimate). As part of a multi-year capital improvement and modernization effort, the AWWB has engaged in several major improvement projects over the past several years. The first of these was the construction of Well No. 3 in 2012, which provided a new, high quality drinking water source for the City. Two projects that began in 2013 are now complete including the construction of a new clearwell, and a new raw water pump station at Lake Ogletree. These improvements will help the AWWB sustain a high level of service and quality to its customers for years to come. The AWWB wishes to remind its customers that, although significant facility improvements and augmentation of supply have been achieved, citizens are still encouraged to use our water resources wisely and to take measures to conserve water when and where possible. The Water Resource Management Department provides helpful information about water conservation and tips on how to conserve water resources through its website at http://www.auburnalabama.org/waterconservation.

The AWWB has taken proactive steps to ensure that the quality and quantity of water delivered to its customers is reliable and will be for many years to come. For more than 25 years, the AWWB has funded numerous studies on Lake Ogletree and its surrounding watershed. One of the most important of these studies is the voluntary Source Water Monitoring Program. The study includes monitoring within Lake Ogletree and its contributing watershed for numerous physical, chemical, bacteriological and mineral water quality parameters. The program allows for the advanced knowledge of potential changes within the watershed and allows for progressive management decisions within the watershed. These studies are an integral part of the ongoing effort and responsibility of the AWWB to ensure the delivery of safe and clean water.

The AWWB encourages the public to participate in the monthly Board meetings. Board meetings are typically held monthly at 4:00 P.M. on the Thursday following the third Tuesday of each month in the AWWB Conference Room of the Bailey-Alexander Complex located at 1501 W. Samford Avenue. The Water Board members are Jeff Clary, Ed.D. (Chair), Butch Brock (Vice Chairman), Jennifer Chambliss, Esq. (Secretary), David Mines (Member), and Brad Wilson (Member). If you have any questions concerning public participation or water quality, please call the Water Resource Management Office at (334) 501-3060. If you have questions about setting up an account, water service changes or billing inquiries, please contact the Water Revenue Office at (334) 501-3050. For additional information, please visit us online at www.auburnalabama.org/wrm.

THE NEW RAW WATER PUMP STATION AT LAKE OGLETREE

In November of 2014 the AWWB dedicated the new raw water pump station at Lake Ogletree, Auburn's primary water supply. The new pump station replaced two older pump stations previously in use at Lake Ogletree. Pump Station #1 was originally constructed in 1953 with 3 raw water pumps and a capacity of 5 million gallons per day (MGD). Pump Station #2 was constructed in 1969 and included 2 raw water pumps with a capacity of 7 MGD. The new pump station has three pumps, with a capacity of 9.5 MGD. It is built to accommodate the addition of a 4th pump if more capacity becomes needed. The new pump station is the latest project representing the AWWB's commitment to maintaining and improving the City's water supply infrastructure to ensure that it is efficient, reliable and ready to meet the City's current and future water needs.

The new raw water pump station during construction, Fall 2014.











WATER TREATMENT PROCESS

Water is pumped from Lake Ogletree to the James Estes Water Treatment Plant. At the plant, a staff of 7 highly trained employees are responsible for the proper maintenance and operation of the various equipment and treatment infrastructure to ensure that your water is consistently treated to levels that meet or exceed Federal and State water quality standards. Below is a diagram outlining this process. This diagram was prepared to help you better understand where your drinking water comes from and how this water is treated before being distributed to homes in our community.

